

所在地 東京都新宿区新宿三丁目 2 3 - 1 1 付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位 / 測定月日	標準貫入試験					N 値	
							深 度	10 cmごとの打撃数			打撃回数 / 貫入量		
								0 10 20 30	10 20 30	10 20 30			
1													
2													
3													
4													
5	5.00	5.00				5.50							
6				ローム	茶褐		6.00				4 / 30		
7	6.70	1.70					6.30	1	2	1	30		
8				粘土	暗茶褐		7.00				3 / 30		
9							7.30	1	1	1	30		
10				粘土	暗褐		8.00				3 / 30		
11	9.20	2.50					8.30	1	1	1	30		
12				シルト質細砂	緑灰		8.90				5 / 30		
13	10.50	1.30					9.30	1	2	2	30		
14				砂礫	暗青灰		10.00	2	2	3	30		
15	11.80	1.30					10.30				7 / 30		
16				礫混じり細砂	黄褐		11.00				19 / 30		
17	13.50	1.70					11.30	4	6	9	30		
18				砂礫	茶褐		12.00				3 / 1	50 / 21	
19	14.90	1.40					12.21	21	26		19	71.4	
20							13.00				26 / 9	50 / 19	
21							13.19	24					78.9
22							14.00				29 / 10	30 / 10	
23	18.50	3.60					14.30				17 / 9	29 / 29	
24							15.00	15	18				51.7
25							15.29				35 / 11	30 / 12	
26							16.00				39 / 12	30 / 13	
27							16.30				44 / 13	30 / 15	
28							17.00				26 / 8	30 / 9	
29							17.30				29 / 9	30 / 10	
30							18.00				17 / 17		
31							18.30						
32							19.00						
33							19.30						
34							20.00						
35							20.30						
36							21.00						

