

所在地 東京都新宿区新宿三丁目36-18付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 ／ 測 定 月 日	10 cmごとの打撃数				N 値	標準貫入試験 N値～深度図	
							深 度	10 cmごとの打撃数					
								0 回	10 回	20 回			
1	0.70	0.70		表土	暗褐	4.80	1.15	1 / 11	1	1	3 / 31	2.9	
2				ローム	褐灰		1.46						
3							2.15	1	1	2 / 13	4 / 33	3.6	
4							2.48						
5							3.15		1 / 8	2 / 12	4 / 30	4	
6	5.80	5.10					3.45	1					
7				4.15					8 / 30	8			
8				4.45	2		2	4					
9				5.15					11 / 30	11			
10				5.45	3		4	4		11			
11	6.90	1.10		シルト	灰		6.15			10 / 30	10		
12				シルト質粘土	緑黄灰 淡青灰	6.45	3	3	4				
13						7.15				7 / 30	7		
14						7.45	2	2	3				
15						8.15				8 / 30	8		
16	8.80	1.90				8.45	2	3	3		8		
17				粘土質シルト	淡青灰	9.15				7 / 30	7		
18						9.45	2	2	3				
19						10.15				6 / 30	6		
20	10.60	1.80				10.45	2	2	2		6		
21						11.15				17 / 30	17		
22				細砂	黄褐灰 淡褐	11.45	3	5	9				
23						12.15				23 / 30	23		
24						12.45	5	8	10				
25						13.15				32 / 30	32		
26						13.45	7	10	15				
27						14.15				41 / 30	41		
28						14.45	10	14	17				
29						15.15				50 / 30	50		
30	15.50	4.90				15.45	12	18	20		50		
31						16.15				43 / 30	43		
32				16.45	10	15	18						
33				シルト混り細砂	淡褐	17.15				39 / 30	39		
34						17.45	9	13	17				
35						18.15			15 / 4	50 / 24	62.5		
36	18.80	3.30				18.39	15	20			62.5		
37						19.15			18 / 8	50 / 28	53.6		
38				細砂	褐灰 淡褐	19.43	13	19					
39						20.15				46 / 30	46		
40	20.45	1.65				20.45	11	16	19				