

所在地 東京都新宿区新宿三丁目2 6 付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位 / 測定月日	標準貫入試験					N 値	N 値 - 深度図
							深 度	10 cm ごと の打撃数			打撃回数 / 貫入量		
								0 回	10 回	20 回			
1				コンクリート									
5.45	5.45												
5.65							2 / 11	2 / 13	5 / 34				
5.99													
7.15				凝灰質粘土	淡茶褐 茶褐		1 / 35		1 / 35				
7.50													
8.15							1 / 17	1 / 15	2 / 32				
8.47													
9.05	3.60			粘土質細砂	淡褐				7 / 30				
9.35	0.30												
9.45							1	3	3				
10.15				細砂	茶褐				18 / 30				
10.45							5	6	7				
11.10	1.75								6 / 30				
11.40	0.30			粘土質細砂	褐灰		2	2	2				
11.70	0.30			砂質粘土	褐灰								
12.15									14 / 30				
12.45							4	5	5				
13.15									15 / 30				
13.45				微細砂	茶褐 褐灰		4	5	6				
14.15									16 / 30				
14.45							5	5	6				
15.15									33 / 30				
15.45							7	11	15				
16.15									21 / 30				
16.45							4	7	10				
17.15				粘土	黄灰				22 / 30				
17.45							7	7	8				
18.15									17 / 30				
18.45							5	6	6				
19.15									11 / 30				
19.45				粘土	暗灰		3	4	4				
20.15									9 / 30				
20.45							3 / 13	3	7				
21.15							2	3	4				

