

所在地 東京都新宿区新宿五丁目 2 - 8 付近

標高	深度	層厚	柱状図	土質区分	色調	孔内水位 / 測定月日	10cmごとの打撃回数					N値	標準貫入試験 N値 - 深度図	
							深さ	10cmごとの打撃回数			打撃回数 / 貫入量			
								0	10	20				
1	0.70	0.70		埋土	暗灰	4.40	1.15	1 / 12	1 / 8	2 / 2	4 / 30	4		
2				ローム	茶褐		1.45	1 / 12	1 / 9	2 / 12	4 / 33	3.6		
3							3.15	1 / 14	1 / 9	1 / 7	3 / 30	3		
4	4.15	3.45					4.15		2 / 11	2 / 9	5 / 30	5		
5				凝灰質粘土	茶灰		4.45					5		
6							5.15	2 / 13	1 / 7		5 / 30	5		
7	6.75	2.60					6.15	1 / 18	1 / 7	1 / 8	3 / 33	2.7		
8				粘土	暗緑灰		7.15	1 / 16	1 / 11	1 / 8	3 / 35	2.6		
9	8.80	2.05					8.15				8 / 30	8		
10				粘土質シルト	緑灰		9.15				8 / 30	8		
11	9.85	1.05					9.45	2	3	3	30	8		
12				シルト混り細砂	濃緑灰		10.15	4	3	5	30	12		
13	11.75	1.90					11.15				11 / 30	11		
14				砂質シルト	濃緑灰		11.45	3	3	5	30	11		
15	12.70	0.95					12.15		1 / 7	2 / 13	4 / 30	4		
16				細砂	黄灰		12.45	1				46 / 30	46	
17	13.90	1.20					13.15	8	17	21	30	46		
18				シルト混り細砂	濃緑灰		13.45					15 / 30	15	
19	14.15						14.15	4	5	6	30	15		
20							14.45					20 / 30	20	
21	15.70	1.80					15.15	7	5	8	30	20		
22				砂混りシルト	青灰	15.45					10 / 30	10		
23	16.15					16.15	3	3	4	30	10			
24						16.45					17 / 30	17		
25	17.75	2.05				17.15	2	6	9	30	17			
26						17.45					51.7			
27	18.15					18.15	12	18	9	29	51.7			
28				細砂	濃緑灰	18.44					50 / 25	60		
29	19.15					19.15			14 / 5	50 / 25	60			
30	19.40					19.40	13	23			11			
31	20.05	2.30				20.15	3	3	5	30	11			
32						20.45								
33	21.15					21.15					10			

