新宿区地盤資料

調査整理番号 060-003

所在地 東京都新宿区南榎町 3 8 付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

位置情報については、おおよその位置を示したものとなります。																				
標	深	層	ī	柱	±	色	孔							標準貫入試験						
					質		内水点	深		0 cm の打		打墼	Ν							
				状			位 /		回 0		数 20	打擊回数		N値~深度図						
					☒		測定月日			1		/貫		IN IIE /ARJZJAN						
尺	度	厚	[図	分	調	月日	度	10	20	30	量	値	0 10 20 30 40 50 60						
E				/ 000	埋土・瓦礫混じりロ ーム	暗褐														
Ē,	0.9	0.	90/	/ <u> </u>	-Δ			1.00				5 /								
Ē.			(\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				1.30	1	2	2	30	5							
E 2			X					2.00	1		1	3 /								
Ē			X	XXXXX	ローム	暗黄褐灰		2.33	12	1	11	33	2.7	11						
E 3			(XXXXX										1 1 1 1 1 1 1						
F	3.6	2.	70/					3.55	1 /	1 /		2								
E 4	4.0	0.	40/	KKKI I KKKI	粘土質ローム 粘土質ローム	茶褐		4:89	16 / 3	1/8 / 28		3 ₄ / 31	1.8	 						
E	4.4	0.	45/			茶褐	9/1	4.31	3	25			1.0							
E 5	5.10	0.	65	· 0 · K /	粘土	乳灰	5.30 — ▽	5.00	1	9	14	24 / 30	24							
E			(粘土質砂礫	暗黄褐		5.30												
E 6	6.10	1.	00	5.000				6.00	4	2	1	7 / 30	7							
Ē					粘土質細砂	黄褐灰		6.30												
E 7		1.	25	/:::: :		2 - 1, 1 1		7.25				10								
Ē	7.4	1.	33	: : : : : : : : : : : : : : : : : : :	粘土混じり細砂	黄灰		7.55	2	2	6	21	10							
8	8.10	0.	65	· · / · · · · / / / / ·	粘土質細砂	黄褐灰		8.00	3	7	11	30	21							
Ē	8.70	0.	60	///::/ /////				9.00				11								
9	9.20			<u> </u>	粘土質細砂 	灰褐 茶褐灰		9.30	2	4	5	30	11							
E 10	9.6	0.	40	//		211422		10.00				13								
E"					粘土質細砂	茶褐		10.30	5	4	4	30	13							
E 11	11.10	1	50	;				11.00				16								
Ē				· · · · · ·	細砂	暗褐灰		11.30	4	6	6	30	16							
E 12	12.20		-		粘土	黄灰		12.00				8 /								
Ē	12.2	0.	-	///	\$,	暗标		12.30	3	2	3	30	8	1 1 4						
E 13	13.10	0.			シルト質粘土	暗灰		13.00				10 /								
13					砂質シルト	暗灰		13.30	2	4	4	30	10							
E 14	13.90	0.	80		シルト質細砂	暗灰		14.00	2	2	4	8 / 30	8							
E	14.50		60	<u>///:::</u>				14.30		_										
E 15	1E /			:::;;;;	シルト混じり細砂	暗灰		15.00	5	8	9	22 / 30	22							
Ē	15.40	0.	-	· • · · · ·				15.30												
E 16					シルト質粘土	暗灰		16.00	2	2	3	7 / 30	7							
F	16.60	1.	20-					16.30				17								
E 17			-	///	シルト質粘土	暗灰		17.00	5	6	6	30	17							
Ē			-		V /V 5€741⊥	*B/X		18.00				16								
F 18	18.20	1.	60					18.30	5	5	6	30	16	\						
Ē.					シルト質粘土	暗灰		19.00				19								
E 19	19.3	1.	15	2.0.0				19.30	6	6	7	30	19							
15 15 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18								20.00	60 / 7			60 / 7	257							
E								20.07					201							
21					砂礫	暗灰		21.00				60 / 3	600							
± 'ا	I	I	1	7,7,0	I		l	21.03												

_	ı	1	1:0.0.	1		ı	20.07		í	1		1	. (060-00	3(ウ7-	189-2)	(2/2)
21				砂礫	暗灰		21.00 21.03	60 / 3		60 / 3	60	0					
22	22.00	2.65	0.0.0				22.00	47	13 / 2	60 / 12	15	0					
23			0.000				22.12 23.00 23.11	50	10 / 1	60 / 11	16	4					
24				砂礫	暗青灰		24.00	36	24 / 8	60 / 18	10	0					
25	25.17	3.17					24.18 25.00	33	27 / 7	60 / 17	10	6					
							25.17										