

所在地 東京都新宿区下宮比町 1 - 1 付近

標	深	層	柱	土	色	孔内水位 / 測定月日	標準貫入試験						
							深	10 cmごとの打撃数			打撃回数 / 貫入量	N	
								0	10	20			
尺	度	厚	状	質	調		度	10	20	30	貫入量	値	
1	1.30	1.30	埋土	暗褐色	3.50	1.15	3			3		3	
2			シルト	暗灰色		1.45							2
3						2.15	2		2		2		
4						2.45							
5	4.70	3.40				3.15	2		2		2		
6			3.45										
7			凝灰質粘土	乳褐色	4.15	2		2		2		2	
8					4.45								
9					5.15	3		3		3			
10	6.60	1.90			5.45								
11			小礫混り細砂	暗灰色	6.15	4		4		4		4	
12					6.45								
13	7.50	0.90			7.15	18		18		18			
14					7.45								
15			砂礫	暗灰色	8.15	50		50		50		93.8	
16					8.31	16		16		16			
17					9.15	50		50		50			
18	9.60	2.10			9.33								
19			細砂	暗灰色	10.15	50		50		50		100	
20					10.30								
21					11.15	50		50		50			
22					11.33	18		18		18			
23			砂礫	暗灰色	12.15	50		50		50		107	
24					12.29								
25	12.60	3.00			13.15	50		50		50			
26					13.32	17		17		17			
27			砂礫	暗灰色	14.15	50		50		50		83.3	
28					14.33								
29	15.29	2.69			15.15	50		50		50			
30					15.29	14		14		14			