新宿区地盤資料

調査整理番号 103-014

所在地 東京都新宿区若松町15-20付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

標	深	層	柱	±	色	孔		標準貫入試験											
				質		水位	深	1 اح	0 cm の打	ご撃	打擊	Ν							
			状			/		回 0	10	数 20	打擊回数,				N値~	深度図			
				X		測 定 月		ì	ì	ł	/								
尺	度	厚	図	分	調	百	度	10	20	30	量	値	0 1	0 2	20 3	80 4	10 5		
				埋土	茶褐														
- 1	1.10	1.1	d	埋土(黒ボク)	茶褐		1.15				6								
	1.00	0.1))	3114		1.45	2	2	2	30	6	1 1						
- 2			XXXX																
			XXXXX	\langle															
- 3			00000				3.15	3	3	2	8 / 30	8	,						
- 4			88888) 	茶褐		4.15				6		$\Box \Box$						
			00000				4.45	2	2	2	30	6	†						
- 5			XXXXX				5.15				5 /								
			XXXXX	\langle			5.45	2	2	1	30	5	<i>†</i>						
- 6	6.40	5.1) }			6.15	1	1	1	3 / 30	2							
- 6				- - - - - - 凝灰質粘土	黄褐		6.45	'		'		3]/						
- 7	7.50	1.1	0	一般灰貝和工 - - -	異物		7.15	0 / 22	1 / 8		1 / 30	1							
- 8			====				7.45 8.15				8								
						8.96	8.45	2	3	3	/	8	\ \ \						
- 9							9.15				12		\	\					
							9.45	3	4	5		12		1					
- 10				シルト	暗青灰		10.15		_		13	40							
							10.45	4	5	4		13		/					
- 11							11.15	4	3	3	10 / 30	10							
- 12							11.45				11								
	12.60	5.1	0				12.15	4	3	4	/	11		<u></u>				,	
- 13							13.15	4.7	33 / 7		50	88.2							
				細砂	暗灰 ~ 暗青灰		13.32	17	_/_		17	88.2					7		
- 14							14.15		45	40	47 /	4-							
	14.50	1.9	::://.	•		-	14.45	14	15	18		47							
- 15	15 55	1 1	//	・ シルト質細砂 ・	黄灰		15.15	16	10	10	36 / 30	36				1			
- 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21	15.55	1.0		:		1	15.45				30								
				砂質シルト	暗緑灰		16.15		11	10	/	30							
- 17	16.90			細砂	黄褐	-	17.15				28				/				
	17.30	0.4	0		2019		17.45		10	9	30	28							
- 18	10 40			砂質シルト	暗黄灰		18.15				33					\setminus			
.	18.40	1.1				1	18.45	9	11			33							
- 19							19.15	10	19	21 / 5	50 / 25	60					1		
٠			<i></i>	・シルト混り細砂	暗灰		19.40			17									
- 20				, , , , , , , , , , , , , , , , , , ,	*8/X		20.15	13		4	/	62.5						•	
- 21							21.15			14	50 /								

