

所在地 東京都新宿区西早稲田一丁目3-4付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位／測定月日	10cmごとの打撃数					N 値	標準貫入試験 N値～深度図
							深 度	10 cm ごと の打撃数			打撃回数／貫入量		
								0 ～ 10	10 ～ 20	20 ～ 30			
				盛土	褐	5.80	1.15	1 / 15	2 / 15	3 / 30	3		
1	1.20	1.20					1.45				3		
2							2.15	1	1	1	3 / 30	3	
3				ローム	茶褐 黄茶褐		3.15				3 / 30	3	
4							3.45	1	1	1	3 / 30	3	
5							4.15				3 / 30	3	
6	5.50	4.30					4.45	1	1	1	3 / 30	3	
7				粘土質砂礫	黄茶灰		5.15				4 / 30	4	
8							5.45	1	1	2	3 / 30	4	
9	7.30	1.80					6.15				47 / 30	47	
10						6.45	13	15	19	30	47		
11						7.15				45 / 30	45		
12						7.45	14	15	16	30	45		
13						8.15				52 / 30	52		
14				礫混り細砂	茶灰	8.45	13	19	20	30	52		
15						9.15				47 / 30	47		
16						9.45	15	17	15	30	47		
17	10.45	3.15				10.15				46 / 30	46		
18						10.45	16	16	14	30	46		