

所在地 東京都新宿区下落合三丁目16-15付近

標	深	層	柱	土	色	孔内水位 / 測定月日	標準貫入試験					N	N値 - 深度図
							深	10 cmごとの打撃回数			打撃回数 / 貫入量		
								0	10	20			
								度	10	20			
1				関東ローム	黄茶褐	4.25	1.15	1 / 8	2 / 12	2 / 11	5 / 31	4.8	
2							2.15	1 / 11	1 / 11	1 / 9	3 / 31	2.9	
3							3.15	1 / 13	1 / 11		3 / 34	2.6	
4	4.50	4.50					4.15	1 / 13	1 / 11	1 / 9	3 / 33	2.7	
5	5.30	0.80		砂質粘土	灰褐		5.15	1 / 21		1 / 15	2 / 36	1.7	
6	5.90	0.60		火山灰質粘土	黄褐		5.51						
7				粘土	青灰		6.15	1 / 24		1 / 16	2 / 40	1.5	
8							7.15	2 / 11		3 / 9	8 / 30	8	
9	8.80	2.90					8.15	1 / 12	1 / 7	2 / 12	4 / 31	3.9	
10							9.15	4 / 9	5 / 11		13 / 30	13	
11	11.50	2.70		砂質粘土	青灰		10.15	3 / 11		2 / 9	7 / 30	7	
12	12.60	1.10					11.15	1 / 9	3 / 12	3 / 9	7 / 30	7	
13	12.90	0.30		粘土質微細砂 砂礫	暗青灰	12.15	3 / 9	4 / 11		11 / 30	11		
14						13.15					13 / 30	13	
15				砂質シルト	暗灰	14.15				11 / 30	11		
16						15.15	3 / 11	3 / 9	4 / 11	10 / 31	9.7		
17	16.50	3.60				16.15	3 / 11	4 / 4		11 / 30	11		
18						17.15	3 / 11	4 / 4	5 / 30		12		
19	18.70	2.20		シルト質細砂	暗灰	18.15	4 / 11	4 / 4	5 / 30		13		
20	19.70	1.00				19.15				26 / 30	26		
21	20.35	0.65		礫混り中砂	暗灰	20.15				53 / 30	53		
						21.15			53				

