新宿区地盤資料

調査整理番号 133-021

所在地 東京都新宿区上落合二丁目11-17付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

標	深	層	柱	土	色	孔	T						標準貫入試験						
				質		内水位	深	1 ك	0 cm の打	ご撃	打擊回	N							
			状			位 / 测		0	10	<u>数</u> 20	 動数:		N値~深度図						
				☒		測 定 月 日		≀	1		/		IV IIE /A/Q/GI						
尺	度	厚	図	分	調	日	度	10	20	30	量	値	p 10 20 30 40 50 60						
			//	埋土	黒灰														
_ 1	1.15		11 11 11	黒ボク	黒灰		1.15	1 /	1 /	1 /	3,								
							1.46	17	8	6	31	2.9	9 •						
2 2			00000				2.15	/ /	1 / 9	1 / 7	3 /	3							
							2.45	14	9		30	3	3						
3 			X	п-4	茶褐		3.15	1 / 12	1	1 / 9	3 / 31	2.9							
			XXXXX				3.46		4	1	3		9						
							4.15	1 / 13	1 / 12	9	/ 34	2.6							
_ _ _ 5	4.85 5.25			凝灰質粘土	乳褐	1	5.15				18								
5 6 7			0.0.0 0.0.0	粘土混じり砂礫	***		5.45	1	7	10	30	18							
= 6 =	6.45	1 20		粘土混じり砂礫	黄褐	6.55	6.15	9	6	6	21	21							
	6.45	1.20				-	6.45	9	6	6	30	21							
_ 7				細砂	茶褐		7.15	3	3	5	11 / 30	11							
	7.75	1.30					7.45				28		1						
			0.0.0				8.15	4	11	13	30	28							
<u> </u>							9.15				48								
			0000				9.45	16	19	13		48							
_ 10 			%	粘土混じり砂礫	茶褐		10.15	1	40	20	43 /	40							
			0.0.0				10.45		12 26	20_	50	43							
_ 11 			%				11.15 11.33	24	8		/	83.3							
12			0.0.0				12.15				28								
	12.25	4.50				1	12.45	14	7	7	30	28							
_ 13			::: <i>:::</i> /:				13.15	50			50 / 10	150							
			<u>/</u> :::::				13.25	55			.,	.50							
14			::::; <i>;</i> /	 硬質粘土混じり微細 砂	乳灰		14.15	11	21	18 / 5	50 / 25	60							
			-/::::				14.40		9 /		50								
113 114 115 115 115 117 117 118 119 119 119 119 119 119 119 119 119			<i>;</i>				15.15 15.26		1		11	136							
16	15.90	3.65	/				16.15				39								
							16.45	13	13	13	/	39	s						
17							17.15				44 /								
							17.45	10	15	19	30	44	4 † =						
18							18.15		45	10	46 /	40							
							18.45	15	15	18	30	46] \						
19 							19.15	13	18	19 / 9	50 / 29	51.7	7						
				硬質シルト	青灰		19.44			8	50								
- 20							20.15	15	27	3	/	65.2	2						
							21.15			17	50 /								

E			====			20.38	15	27	3	23	65.2	13	3-021(工024)	(2/2) ∃
21						21.15 21.41	13	20	17 / 6	50 / 26	57.7			-	
22						22.15 22.43	15	19	16 / 8	50 / 28	53.6			-	
23						23.15	15	18	17 / 8	50 / 28	53.6			_	
24	23.80	7.90 0.45	 ////:	硬質シルト質中砂	暗灰	24.15 24.25	50			50 / 10	150				
Ē															1