新宿区地盤資料

調査整理番号 145-014

所在地 東京都新宿区西新宿一丁目 4 - 2 付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

位置情報については、おおよその位置を示したものとなります。												,たものとなります。 						
標	深	層	柱	土	色	孔内		1	0.00				標準貫入試験					
				質		水位	水 深 との打撃 扒 N					N						
			状	区		/ 測		0	10		/		N値~深度図					
	#		[30]		÷E	測 定 月 日	-	2	2	~	貫入量	/±						
尺	0.30	厚		分 ^{盛土}	調暗黄褐	Н	度	10	20	30	重	値	0 10 20 30 40 50 60					
			00000															
1			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				1.15	1	1	2	4 / 30		4 9					
			XXXXX				1.45]/					
_ 2			XXXXX				2.15	1 / 17	1 / 13		2 / 30	2	2 4					
			88888				3.15											
			//////////////////////////////////////					1 / 26	1 / 20		2 / 46	1.3	↓					
4			XXXXX		茶褐		3.61 4.15	1,			1 /							
				ローム	暗黄褐茶褐		4.46	31			31	1.0	1					
5					N/d		5.15	/ /			1 /							
			100000 100000				5.47	32			32	0.9	9					
6			XXXXX				6.15	1 / 17	1 / 14		2 / 31	1.9						
E 7			XXXXX				6.46 7.15				5							
			XXXXX				7.45	1	2	2	5 / 30	5	5					
8			88888				8.15				6							
	8.50	8.20	00000			-	8.45	2	2	2	30	6	f 🔨					
9							9.15	,	4	,	11 /	١,						
							9.45	3	4	4	30	11						
10							10.15	3	4	4	11 / 30	11	1 •					
11							10.45				12							
							11.15	3	4	5	/	12	2					
12			::::::::::::::::::::::::::::::::::::::	細砂	茶褐		12.15				12							
						13.05	12.45	3	4	5	30	12						
13							13.15				14							
							13.45	3	5	6	30	14						
14																		
_ 15							15 15				20							
114 115 116 117 118 119 119 119 119 119 119 119 119 119	15.40	6.90	0.0.0				15.15 15.45	5	6	9	/ 30	20						
16	5		0000				16.15				37							
			0000				16.45	10	12	15	30	37						
17							17.15	22	23	5 / 2	50 / 22	68.2						
			0.000				17.37		دع			00.2]]					
18				・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	茶褐		18.15	24	26		50 / 20	75	5 1 3					
			0000				18.35			17	E0.							
= 19 = =			0.000				19.15 19.43	15	18	17 / 8	50 / 28	53.6	6					
20			0.000				20.15			15	50							
	20.50	5.10	0.50.50		,		20.41	16	19	6	26	57.7	7					
21	21.00	0.50	====	固結シルト	褐灰		21.15			13	50 /							

ΕI	20.50	5.10	<u> </u>			20.4	16	19	6	/ 26	57.7	7	145-	014(イ 	529-1)	(2/2) =
E 21	21.00	0.50	====	固結シルト	褐灰	<u> </u>			13	50						=
21 22 22 23 24				· }		21.1	13	24	3		65.2	2				
E 22			۰ ^{۰۰} ۰۰۰۰	礫混り細砂	褐灰	22.1	1	11	18	39 / 30	39			ø		
E					茶褐	22.4	10		10	50	00					
23	23.50	2.50				23.4	10	10	11	31 / 30	31	1				
E					茶褐	23.4	1									3
24	5			砂・砂礫		24.1	20	18	12 / 8	50 / 28	53.6	3			-	
25						25.1	16	19	15 / 8	50 / 28	53.6	3				
E	25.80	2.30				25.4	3									
26 27 28 28 29 29) 	茶褐	26.1 26.4	17	13	20	50 / 30	50				•	
27						27.1	13	15	22 / 9	50 / 29	_51.7	7				
Εl						27.4	4									3
28						28.15 28.45	16	20	14 / 8	50 / 28	53.6	5			-	
E 29			0.000			29.1	,		20	55 /						
Ē	29.41	3.61	. 0 . 0 .			29.4	17	18	6	26	63.5	5				
E																