

所在地 東京都新宿区西新宿一丁目18-6付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 ／ 測 定 月 日	10cmごとの打撃回数				打撃回数／貫入量	N 値	標準貫入試験		
							深 度	0	10	20			N 値～深度図		
							度 10	20	30						
1	0.90	0.90	表土	黒褐		7.50	1.00				3 / 30	3	標準貫入試験 N 値～深度図		
2							1.30	1	1	1	3 / 30	2.6			
3							2.00	1 / 15		1	3 / 35				
4							2.35								
5							3.00				3 / 30	3			
6							3.30	1	1	1	3 / 30	3			
7	4.50	3.60	ローム	茶褐		7.50	4.00				3 / 30	3			
8							4.30	1	1	1	3 / 30	3			
9							5.00				3 / 30	3			
10							5.30	1	1	1	3 / 30	3			
11							6.00				3 / 30	3			
12	6.40	1.90					6.30	1	1	1	3 / 30	3			
13			ローム質粘土	黄褐		7.50	7.00		1 / 20	1 / 20	2 / 40	1.5			
14							7.40								
15							8.00		1 / 20	1 / 20	2 / 40	1.5			
16							8.40								
17							9.00		1 / 20	1 / 15	2 / 35	1.7			
18	7.80	1.40					9.35								
19			粘土	黄褐		7.50	10.00				3 / 30	3			
20							10.30	1	1	1	3 / 30	3			
21							11.00				3 / 30	3			
22							11.30	1	1	1	3 / 30	3			
23							12.00				3 / 30	3			
24	12.40	1.90					12.30	1	1	1	3 / 30	3			
25			砂質粘土	黄褐		7.50	13.00				15 / 30	15			
26							13.30	5	5	5	15 / 30	15			
27							14.00				15 / 30	15			
28							14.30	5	5	5	16 / 30	16			
29							15.00				12 / 30	12			
30							15.30	5	5	6	12 / 30	12			
31			細砂	黄褐		7.50	16.00				10 / 30	10			
32							16.30	3	4	5	11 / 30	11			
33							17.00				10 / 30	10			
34							17.30	3	3	4	9 / 30	9			
35							18.00				11 / 30	11			
36							18.30	3	4	4	10 / 30	10			
37	16.50	4.10	粘土質細砂	黄褐		7.50	19.00				10 / 30	10			
38							19.30				10 / 30	10			
39							20.00	3	3	4	10 / 30	10			
40							20.30				10 / 30	10			
41							21.00				10 / 30	10			
42	19.40	2.90					21.30				10 / 30	10			
43			粘土・細砂互層	黄褐		7.50	22.00				10 / 30	10			
44							22.30				10 / 30	10</			

