

所在地 東京都新宿区西新宿七丁目 3 - 5 付近

標尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位 / 測定月日	標準貫入試験					N 値
							深 度	10 cmごとの打撃回数			打撃回数 / 貫入量	
								0	10	20		
						3.80	10	20	30			
1	1.70	1.70	盛土		暗灰		1.15	1 / 12	1 / 11	1 / 33	2.7	
2	3.60	1.90	ローム		茶褐 暗茶		1.48			1 / 31	1.0	
3							2.15	1 / 31				
4							2.46			1 / 31		
5			粘土		黄灰 暗灰		3.15	1 / 20	1 / 13	2 / 33	1.8	
6							3.48					
7	6.90	3.30					4.15	1 / 32		1 / 32	0.9	
8	7.70	0.80	腐植土		暗茶		4.47					
9			粘土		暗灰		5.15	1 / 33		1 / 33	0.9	
10							5.48					
11							6.15	1 / 19	1 / 15	2 / 34	1.8	
12							6.49					
13	9.35	1.65					7.15	1 / 11	1 / 11	1 / 8	3	
14							7.45			3 / 30		
15			砂礫		暗緑		8.15			7 / 30	7	
16							8.45	2	2	3	31	
17	11.80	2.45					9.15	1 / 15	13 / 5	31 / 30	100	
18			砂礫				9.45			50 / 15		
19							10.15	30	20 / 5		88.2	
20	12.60	0.80	礫混じり細砂		暗青		10.30					
21							11.15		28 / 7	50 / 17	60	
22			砂礫		暗緑		11.32				115	
23	13.90	1.30					12.15	13	17	5	9	
24			シルト		淡青		12.40			9 / 30	53.6	
25	14.70	0.80					13.15	40	10 / 3	50 / 13	50	
26			シルト質細砂		暗緑		13.28				41	
27							14.15	3	3	3	26	
28	16.80	2.10					14.45					
29			砂混じり硬質シルト		暗青		15.15	14	16	20 / 8	100	
30							15.43					
31	18.80	2.00					16.15	13	17	20	150	
32							16.45					
33							17.15	11	14	16	188	
34							17.45					
35							18.15	6	9	11		
36							18.45					
37							19.15	30	20 / 5	50 / 15		
38							19.30					
39							20.15	50		50 / 10		
40							20.25					
41							21.15	50 / 8		50 / 8		

